Cixi CAZ Group Corporation

Cixi CAZseal Packing & Gasket Co.Ltd

Machines for Braided Packing

Sealing Machines

Style	Specification	Application
	 Power:220AV, 50HZ, 3 KW; L×W×H=1.5×1.5×2.4m; N.W.: appr.1500kgs Output: 10~50kg/day Work range: 6~20mm interbraid 20~50mm braid-over-braid 8,18,24,32 Carriers 	Stop automatic while yarn broken; Impregnated lubrication and heated during braiding; The pull can be adjusted 1~4kg; Braided tightly; Show output; Lower noise;

860-24IBE-- 24-carrier Economical semiautomatic Inverted Braider



Power:220AV, 50HZ, 3 KW;
 L×W×H=1.5×1.5×2.4m;
 N.W.: appr.1800kgs
 Output: 10~50kg/day

5. Work range:
6~20mm interbraid
20~50mm braid-over-braid
6. 8.20.24.32.36 Carriers

Copy from Germany.
Stop automatic while yarn broken;
Impregnated lubrication and heated during braiding;
The pull can be adjusted 1~4kg;
Braided tightly;
Show output;
Lower noise:

860-36IBA-- 36-carrier Advanced semiautomatic Inverted Braider



1. Power:220AV, 50HZ, 3 KW;

2. $L\times W\times H=1.5\times 1.5\times 2.4m$;

N.W.: appr.1000kgs
 Output : 10~50kg/day

5. 8,18,**24**,32 Carriers for square 8,16,**24**,32,36 Carriers for round

Normal for braiding ceramic fiber square or round rope.

No impregnation tray, no timing Braiding density can be adjusted.

860-24IBS-- 24-carrier Simple semiautomatic Inverted Braider



- 1. Power:380AV, 50HZ, 0.75KW;
- 2. L \times W \times H=0.6 \times 0.67 \times 1.7m;
- 3. N.W.: appr.180kgs
- 4. Output: 3~10kg/day
- 5. Work range: 3~12mm Square
- 6. 8RB carrier round braider on request

Universal square braider.

For braiding various fiber packing with size 3~12mm square.

860 8SB--8-carrier Square Braider with 2 orbits



- 1. Power:380AV, 50HZ, 0.75KW;
- 2. $L\times W\times H=1\times 1\times 1.9m$;
- 3. N.W.: appr.300kgs
- 4. Output: 6~20kg/day
- 5. Work range: 6~16mm Square
- 6. 16RB carrier round braider on request

Universal square braider.

For braiding various fiber packing with size 6~16mm square.

860 18SB-- 18-carrier Square Braider with 3 orbits

Cixi CAZ Group Corporation

Cixi CAZseal Packing & Gasket Co.Ltd

Machines for Braided Packing

Sealing Machines

0()	0	A	
Style	Specification	Application	
	 Power:380AV, 50HZ, 1.1KW; L×W×H=1.3×1.3×2.3m; N.W.: appr.600kgs Output: 10~30kg/day Work range: 8~30mm Square 24RB carrier round braider on request 	Universal square braider. Can adjust speed by motor For braiding various fiber packing with size 8~30mm square.	
860 24SB 24-carrier Square Braider with 4 orbits			
	 Power:380AV, 50HZ, 2.2KW; L×W×H=1.6×1.6×2.4m; N.W.: appr.1000kgs Output: 15~50kg/day Work range: 12~50mm Square 32RB carrier round braider on request 	Universal square braider. Can adjust speed by motor For braiding various fiber packing with size 12~50mm square.	
860 32SB 32-carrier Square Braider with 4 orbits			
CA sea	 Power:380AV, 50HZ, 0.75 KW; L×W×H=1.5×0.6×1.4m; N.W.: appr.150kgs Line Speed: can be adjusted 	It's a essential machine. Reel various packing yarn from anomalistic disk to appropriative station bobbin of braider. Stop automatic while yarn is full; Also suitable to combine yarns	
860 BWStation Bobbin Winder			
	 Power:380AV, 50HZ, 1.1 KW; L×W×H=0.9×0.8×1.8m; N.W.: appr.200kgs Work range:3mm~40mm 	Packing 2 rolls calender For shaping the finished braiding packing. We normal offer you 12 sets mould, the detailed size is up to you.	
860 PC2—Packing 2 rolls Calender			
seal	 Power:380AV, 50HZ, 1.1 KW; L×W×H=0.9×0.8×1.8m; N.W.: appr.200kgs Work range:3mm~40mm 	Packing 4 rolls Calender For shaping the finished braiding packing. We normal offer you 12 sets mould, the detailed size is up to you.	
860 PC4—Packing 4 rolls Calender			



Cixi CAZ Group Corporation

Cixi CAZseal Packing & Gasket Co.Ltd

Machines for Braided Packing

Sealing Machines



- 1. Power:380AV, 50HZ, 1.1 KW;
- 2. L \times W \times H=2.2 \times 0.7 \times 1.3m;
- 3. N.W.: appr.300kgs Work range: 3mm~40mm
- ★Reel finished packing to disk.
- ★Finished packing shaper We normal offer you 12 sets mould, the detailed size is up to you.

860 PCW-- Packing Calender+ Packing Winder



- 1. Power:380AV, 50HZ, 1.5 KW;
- 2. $L\times W\times H=26\times 1.6\times 1.7m$;
- 3. N.W.: appr.800kgs
- 4. Work range: 2g/m, 3g/m, 5g/m

Twisting graphite and other fiber yarn Normal with 16~20 bobbins Appr. 200kg/day

860 YT-- Yarn Twisting Machine





