








Machines for Braided Packing

Sealing Machines

Style	Specification	Application
	<ol style="list-style-type: none"> Power:220AV, 50HZ, 3 KW; L×W×H=1.5×1.5×2.4m; N.W.: appr.1500kgs Output : 10~50kg/day Work range: 6~20mm interbraid 20~50mm braid-over-braid 8,18,24,32 Carriers 	Stop automatic while yarn broken; Impregnated lubrication and heated during braiding; The pull can be adjusted 1~4kg; Braided tightly; Show output; Lower noise;
860-24IBE-- 24-carrier Economical semiautomatic Inverted Braider		
	<ol style="list-style-type: none"> Power:220AV, 50HZ, 3 KW; L×W×H=1.5×1.5×2.4m; N.W.: appr.1800kgs Output : 10~50kg/day Work range: 6~20mm interbraid 20~50mm braid-over-braid 8,20,24,32,36 Carriers 	Copy from Germany. Stop automatic while yarn broken; Impregnated lubrication and heated during braiding; The pull can be adjusted 1~4kg; Braided tightly; Show output; Lower noise;
860-36IBA-- 36-carrier Advanced semiautomatic Inverted Braider		
	<ol style="list-style-type: none"> Power:220AV, 50HZ, 3 KW; L×W×H=1.5×1.5×2.4m; N.W.: appr.1000kgs Output : 10~50kg/day 8,18,24,32 Carriers for square 8,16,24,32,36 Carriers for round 	Normal for braiding ceramic fiber square or round rope. . No impregnation tray, no timing Braiding density can be adjusted.
860-24IBS-- 24-carrier Simple semiautomatic Inverted Braider		
	<ol style="list-style-type: none"> Power:380AV, 50HZ, 0.75KW; L×W×H=0.6×0.67×1.7m; N.W.: appr.180kgs Output: 3~10kg/day Work range: 3~12mm Square 8RB carrier round braider on request 	Universal square braider. For braiding various fiber packing with size 3~12mm square.
860 8SB--8-carrier Square Braider with 2 orbits		
	<ol style="list-style-type: none"> Power:380AV, 50HZ, 0.75KW; L×W×H=1×1×1.9m; N.W.: appr.300kgs Output: 6~20kg/day Work range: 6~16mm Square 16RB carrier round braider on request 	Universal square braider. Stop automatic while yarn broken; For braiding various fiber packing with size 6~16mm square.
860 18SB-- 18-carrier Square Braider with 3 orbits		



Machines for Braided Packing

Sealing Machines

Style	Specification	Application
	<ol style="list-style-type: none"> 1. Power:380AV, 50HZ, 1.1KW; 2. L×W×H=1.3×1.3×2.3m; 3. N.W.: appr.900kgs 4. Output: 10~30kg/day 5. Work range: 8~30mm Square 6. 24RB carrier round braider on request 	Universal square braider. Stop automatic while yarn broken; Can adjust speed by motor For braiding various fiber packing with size 8~30mm square.
860 24SB-- 24-carrier Square Braider with 4 orbits		
	<ol style="list-style-type: none"> 1. Power:380AV, 50HZ, 2.2KW; 2. L×W×H=1.6×1.6×2.4m; 3. N.W.: appr.1200kgs 4. Output: 15~50kg/day 5. Work range: 12~50mm Square 6. 32RB carrier round braider on request 	Universal square braider. Stop automatic while yarn broken; Can adjust speed by motor For braiding various fiber packing with size 12~50mm square.
860 32SB-- 32-carrier Square Braider with 4 orbits		
	<ol style="list-style-type: none"> 1. Power:380AV, 50HZ, 0.75 KW; 2. L×W×H=1.5×0.6×1.4m; 3. N.W.: appr.150kgs 4. Line Speed: can be adjusted 	It's a essential machine. Reel various packing yarn from anomalistic disk to appropriate station bobbin of braider. Stop automatic while yarn is full; Also suitable to combine yarns
860 BW--Station Bobbin Winder		
	<ol style="list-style-type: none"> 1. Power:380AV, 50HZ, 1.1 KW; 2. L×W×H=0.9×0.8×1.8m; 3. N.W.: appr.200kgs 4. Work range:3mm~40mm 	Packing 2 rolls calender For shaping the finished braiding packing. We normal offer you 12 sets mould, the detailed size is up to you.
860 PC2—Packing 2 rolls Calender		
	<ol style="list-style-type: none"> 1. Power:380AV, 50HZ, 1.5 KW; 2. L×W×H=0.9×0.8×1.8m; 3. N.W.: appr.200kgs 4. Work range:3mm~40mm 	Packing 4 rolls Calender For shaping the finished braiding packing. We normal offer you 12 sets mould, the detailed size is up to you.
860 PC4—Packing 4 rolls Calender		

Machines for Braided Packing

Sealing Machines

Style	Specification	Application
	<ol style="list-style-type: none"> Power:380AV, 50HZ, 1.1 KW; L×W×H=2.2×0.7×1.3m; N.W.: appr.300kgs Work range: 3mm~40mm 	<ul style="list-style-type: none"> ★Reel finished packing to disk. ★Finished packing shaper <p>We normal offer you 12 sets mould, the detailed size is up to you.</p>
860 PCW-- Packing Calender+ Packing Winder		
	<ol style="list-style-type: none"> Power:380AV, 50HZ, 1.5 KW; L×W×H=26×1.6×1.7m; N.W.: appr.800kgs Work range: 2g/m, 3g/m, 5g/m,10g/m 	<p>Twisting graphite and other fiber yarn Normal with 16~20 bobbins Appr. 200kg/day</p>
860 YT-- Yarn Twisting Machine		

